



## Zenon Z12R™

Rimless Safety Readers with Clear Temple, Clear Lens and Anti-Scratch Coating - +1.50 Diopter

- Magnification reader glasses are for the worker who needs to see up close
- The 28 mm wide reading magnifier provides the worker with enough lens area to view his work throughout the day
- Due to its lightweight, rimless design and thin, rubberized temples, the Z12R is one of the best fitting readers on the market today
- Gray rubber co-molded temples provide a secure fit
- Molded nose bridge design to fit the vast majority of users
- 9.25 Base curve lens
- +1.50 Diopter
- Meets ANSI Z87.1+
- **WARNING:** Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## Applications

- General Manufacturing
- Construction Applications
- Indoor Work



## Technical Data

Color	Clear
Sizes Available	OS
Packaging	Bagged Each
Packed	144 Pair/Case
Case Dimensions (in)	25.59 x 10.24 x 12.60
Case Weight (lbs)	13.23
Country of Origin	Taiwan
Lens	Clear
Frame Style	Rimless
Lens Color	Clear
Frame Fit	Universal
Lens Coating	Anti-Scratch
Bridge	Rubber
Temple	Co-Molded
Diopter	1.50
Base Curve	10
Construction	--
Certifications	ANSI Z87.1, TAA Compliant
Product Circularity	Recycled via Terracycle

## Care Instructions

KEY: Made from recycled or bio-based Launderable Recyclable via TerraCycle®

**PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®**

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | [www.pipglobalsafety.com](http://www.pipglobalsafety.com)

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2023-08-02



## SKU Information

SKU	FRAME COLOR	LENS	LENS COLOR	LENS COATING	UPC	UPC (INNER)	UPC (CASE)
250-27-0010	Clear	Clear	Clear	AS	616314062445	01616314062444	02616314062443
250-27-0012	Clear	Clear	Clear	AS	616314062452	01616314062451	02616314062450
250-27-0015	Clear	Clear	Clear	AS	616314045110	01616314045110	02616314045110
250-27-0017	Clear	Clear	Clear	AS	616314062469	01616314062468	02616314062467
250-27-0020	Clear	Clear	Clear	AS	616314045127	01616314045127	02616314045127
250-27-0022	Clear	Clear	Clear	AS	616314062476	01616314062475	02616314062474
250-27-0025	Clear	Clear	Clear	AS	616314045134	01616314045134	02616314045134
250-27-0027	Clear	Clear	Clear	AS	616314062483	01616314062482	02616314062481
250-27-0030	Clear	Clear	Clear	AS	616314045141	01616314045141	02616314045141
250-27-0115	Gray	Tinted	Gray	AS	616314045158	01616314045158	02616314045158
250-27-0120	Gray	Tinted	Gray	AS	616314045165	01616314045165	02616314045165
250-27-0125	Gray	Tinted	Gray	AS	616314045172	01616314045172	02616314045172
250-27-0130	Gray	Tinted	Gray	AS	616314045189	01616314045189	02616314045189

KEY: AF = Anti-Fog / AR = Anti-Reflective / AS = Anti-Scratch / FL360 = Fogless 3Sixty / U = Uncoated